

User Manual



**Roma Cantilever Parasol
R3-3X3-T Solar/R3-350-T Solar**



If you are satisfied with this product, please let us know. If you have questions, we're always here to help! You know the strenght of social media nowadays and we would appreciate a positive review on the website of your purchase.

We appreciate the time you have taken and will actively use it to improve our products and service to you.

Please, visit our website www.sorara.eu for more information about our products and where you can purchase them.

















Email: info@sorara.eu




Web: www.sorara.eu

PARTS LIST





NO	QTY	PHOTO
A	1PC	
B	1PC	
C	1PC	
D	1PC	
E	1PC	
F	2 PCS	
G	6PCS	
H	4PCS	
I	1PC	
J	1PC	
K	9PCS	
L	1PC	
M	1PC	
N	1PC	



Umbrella supplied is fully assembled. Please read instructions prior installation. Take all parts out of the box. If any parts are missing, please do not return to the place of purchase directly. Please email us first info@sorara.eu




Step1. Place the upper cross leg (C) over the lower cross leg (D) to form a '+'.



Step2. Place the rotating device (L) onto the cross base with 4 bolts (H). Tighten bolts with Part (I). Place the tube (B) onto the rotating device (L).



Step3. Connect the two parts with 4 bolts (G). Place Part (M) on the tube (B).




Step4. Insert tube (B) into Part (E).




Step5.Screw (N) into the top of (A) in the clockwise direction.




Step6. Insert the plug. Pay attention to keep arrows opposite.




Step7. Twist the thread protector. Inset the part (A) onto the assembled cross base.



Step 8. We strongly suggest to put weight base before you open the umbrella. Then block part (A) and part (B) with bolts (G) by part (I).Cover caps (F) on those bolts.



Step 9. Place the triangle plastic bases filled with sand on the cross base. Insert handle (J) to open the umbrella. Set the umbrella to 5 adjustable vertical tilt position by sliding sleeve.




Step 10. Take the handle down to adjust the angle of the umbrella.



Step 11. Set the umbrella to six tilt positions by rotating handle as needed.



Step12. Step on the foot pedal and rotate the pole horizontally to make shades from all directions.



Step13. Turn on the light with the button at the end of the rib.



Option: If the umbrella is used on the wooden deck, tighten the screws (K) with the base and the deck to keep the umbrella stable.